SAFETY DATA SHEET

Date of issue/Date of revision

: 27 April 2016

Version

: 1



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass
Product code	: 01050
EC number	: Not available.
CAS number	: Not available.
Product type	: Article
Other means of identification	This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire™ HVM.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses			
Construction materials (building materials) - Other construction materials			
Uses adv	vised against	Reason	
None identified.			
Product use :	Glass.		

1.3 Details of the supplier of the safety data sheet

Sigma Paint Saudi Arabia Ltd. PO Box 7509, Dammam 31472 Saudi Arabia Tel: 00966 38 47 31 00 Fax: 00966 38 47 17 34

PPG Industries, Inc. One PPG Place Pittsburgh PA 15272 USA

e-mail address of person : PS.ACEMEA@ppg.com responsible for this SDS

1.4 Emergency telephone number	: +966 1 2759222
	+1 412 434 4515

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 01050	Date of issue/Date of revision : 27 April 2016			
Magnetic Sputter/Vacuum Depo	osition (MSVD) Coated Float Glass			
SECTION 2: Hazards	identification			
2.1 Classification of the subs	tance or mixture			
Product definition	 This product is considered an article. The end use is dependent upon the manufactured shape and design, and this article will not pose an exposure hazard under normal conditions. Sanding and grinding this article can generate nuisance dust particles. Sanding and grinding dusts May be irritating to eyes and respiratory system. 			
Classification according to I Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]			
The product is not classified a	s hazardous according to Regulation (EC) 1272/2008 as amended.			
See Section 16 for the full text	of the H statements declared above.			
See Section 11 for more detail	led information on health effects and symptoms.			
2.2 Label elements				
Signal word	: No signal word.			
Hazard statements	: No known significant effects or critical hazards.			
Precautionary statements	5			
Prevention	: Not applicable.			
Response	: Not applicable.			
Storage	: Not applicable.			
Disposal	: Not applicable.			
Supplemental label elements	: Safety data sheet available on request.			
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.			
Special packaging requirem	<u>ents</u>			
Containers to be fitted with child-resistant fastenings	: Not applicable.			
Tactile warning of danger	: Not applicable.			
2.3 Other hazards				
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	: Not available.			
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: Not available.			
Other hazards which do not result in classification	: None known.			

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code	: 01050	Date of issue/Date of revision	: 27 April 2016	
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass				

SECTION 3: Composition/information on ingredients

3.1 Substances	:	This product is considered an article. The end use is dependent upon the manufactured shape and design, and this article will not pose an exposure hazard under normal conditions. Sanding and grinding this article can generate nuisance dust particles. Sanding and grinding dusts May be irritating to eyes and respiratory system.
----------------	---	---

Product/ingredient name	Identifiers	% by weight	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
glass, oxide, chemicals	EC: 266-046-0 CAS: 65997-17-3	50 - 100	Not classified.	[A]

See Section 16 for the full text of the H statements declared above.

Composition consisting primarily of oxides of silicon with lesser quantities of other selected oxides common to soda-lime glasses, fused into an amorphous vitreous state.

Note: Glass sheets are typically stacked for shipment and may be separated with less than 1 weight percent of powdered interleaving material consisting of polymeric beads. Exposure to these polymeric beads is not expected to be a concern. MSVD glass may contain TPO (Temporary Protective Overcoat) made of polyvinyl alcohol. TPO is applied only to VT product versions. Exposure to polyvinyl alcohol is not expected to be a concern.

These coated glass products contain less than 0.1% of the following intentionally added metals (specific metals depend on product): silver, tin, zinc, nickel, chromium, aluminum, titanium and/or iron. Activities that generate dust from these coated glass products should be evaluated to determine if any regulatory exposure limits are exceeded. If exposure limits are exceeded for dust/metal, appropriate engineering controls (e.g., ventilation/HEPA filters) and/or personal protective equipment (e.g., respirators) should be provided.

Туре

[A] Constituent

[B] Impurity

[C] Stabilising additive

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid m	neasures
Eye contact	: (Sanding and grinding dusts) In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Check for and remove any contact lenses.
Inhalation	: None known.
Skin contact	: None known.
Ingestion	: Not a likely route of exposure.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Inhalation	: (Sanding and grinding dusts) May cause slight transient irritation.
Skin contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Ingestion	: Not a likely route of exposure.
Over-exposure signs	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 01050	Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Dep	position (MSVD) Coated Float Glass
SECTION 4: First aid	t measures
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
SECTION 5: Firefigh	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: No specific fire or explosion hazard.
Hazardous combustion products	: No specific data.
5.3 Advice for firefighters	
Special precautions for fire fighters	- : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: No special protection is required.
OFOTION A AUSTI	

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	stective equipment and emergency procedures
For non-emergency personnel	: No special protection is required.
For emergency responders	: No special protection is required.
6.2 Environmental precautions	: No specific hazard.
6.3 Methods and material for	containment and cleaning up
Small spill	: Vacuum or sweep up material and place in a designated, labelled waste container.
Large spill	: Vacuum or sweep up material and place in a designated, labelled waste container.
6.4 Reference to other	: See Section 1 for emergency contact information.

sections See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II					
Code	: 01050	Date of issue/Date of revision	: 27 April 2016		
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass					

SECTION 7: Handling and storage

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Take care with items that are sharp or heavy. Any glass can have sharp edges, particularly at a cut or fractured edge. Normal strength glass, also known as annealed or float glass, is known to fracture into large sections with sharp edges. Chemically strengthened or chemically tempered glass will tend to fracture much the same as normal strength glass. Thermally tempered glass (commonly found in automotive side and rear windows) will fracture into a large number of very small pieces capable of cutting skin, but typically not as deep as would a large sharp fragment of normal strength glass. These safety concerns should be addressed with proper personal protective equipment to protect oneself against any sharp edges, including those formed by accidental glass fracture during handling. Sanding (a.k.a. seaming or edging) any sharp glass edges to produce rounded edges also reduces the hazards with being cut by sharp edges
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in a dry place away from excessive moisture and exhaust fumes from fork trucks or other such equipment. Support glass in cases on both sides when stored vertically. Glass packs and open cases should be stored at a 5° lean angle to prevent glass from falling forward.
7.3 Specific end use(s)	
Recommendations	: Building and construction work
Industrial sector specific solutions	: Industrial and Professional use

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

	English (GB)	Saudi Arabia	5/11
Recommended monitoring procedures	 If this product contains ingredients with exatmosphere or biological monitoring may of the ventilation or other control measure protective equipment. Reference should the following: European Standard EN 68 the assessment of exposure by inhalation limit values and measurement strategy) atmospheres - Guide for the application a exposure to chemical and biological ager (Workplace atmospheres - General required for the measurement of chemical agents documents for methods for the determinar required. 	posure limits, personal, workplace be required to determine the effectiven es and/or the necessity to use respirator be made to monitoring standards, such 9 (Workplace atmospheres - Guidance to chemical agents for comparison wit European Standard EN 14042 (Workpland and use of procedures for the assessments) European Standard EN 482 irements for the performance of proced) Reference to national guidance	ry a as a for th ace ent of dures
Sanding and grinding dusts	ACGIH TLV (United Sta TWA: 5 mg/m ³ , (Inhala TWA: 3 mg/m ³ Form: F TWA: 10 mg/m ³ Form: ACGIH TLV (United Sta TWA: 5 mg/m ³ 8 bours	able) Respirable Total dust	
Occupational exposure limits	<u>}</u>		

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code : 01050	Date of issue/Date of revision : 27 April 2016	
Magnetic Sputter/Vacuum De	position (MSVD) Coated Float Glass	
SECTION 8: Exposu	ire controls/personal protection	
8.2 Exposure controls		
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. When grinding for removal of the MSVD coating, inhalation of silver containing coating dust should be prevented by using a localized exhaust ventilation system to remove the silver particulate being removed. The ventilation system should be equipped with a HEPA (High Efficiency Particulate Air) filter with efficiency greater	

Individual protection measures

Hygiene measures	Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	d
Eye/face protection	Safety glasses with side shields.	
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard sl be worn at all times when handling chemical products if a risk assessment indi this is necessary.	
Gloves	Rubber dipped anti-lacerative gloves are recommended.	
Body protection	Personal protective equipment for the body should be selected based on the tabeing performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	be
Respiratory protection	(Sanding and grinding dusts) If workers are exposed to concentrations above exposure limit, they must use appropriate, certified respirators. Respirator selemust be based on known or anticipated exposure levels, the hazards of the pro- and the safe working limits of the selected respirator.	ction
Environmental exposure controls	Not applicable.	

SECTION 9: Physical and chemical properties

than 99.9%.

9.1 Information on basic physical	and chemical properties
Appearance	
Physical state	: Solid.
Colour	: Clear./Colourless. to tinted
Odour	: Odourless.
Odour threshold	: Not applicable.
рН	: Not applicable.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not applicable.
Material supports combustion.	: No.
Flammability (solid, gas)	: Not applicable
Upper/lower flammability or explosive limits	: Not applicable.
Relative density	: 2.45

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code	: 01050		Date of issue/Date of revision	: 27 April 2016
Magnetic S	Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass			
SECTIO	ON 9: Physica	I and chemical pro	operties	
Solubilit	y(ies)	: Not available.		
Partition	coefficient: n-octa	nol/ : Not applicable.		

: Not available.
: Not applicable.
: Kinematic (40°C): Not applicable.
: Not available.
: Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity		No specific test data related to reactivity available for this product or its ingredients.
To. T Reactivity	1	The specific lest data related to reactivity available for this product of its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of		Not applicable.
hazardous reactions	1	Not applicable.
10.4 Conditions to avoid	÷	No specific data.
		Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials		No specific data.
•		·
10.6 Hazardous	:	Under normal conditions of storage and use, hazardous decomposition products
decomposition products		should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Acute toxicity		
Conclusion/Summary	: Not applicable.	
Irritation/Corrosion		
Conclusion/Summary	: Not available.	
Sensitisation		
Conclusion/Summary	: Not available.	
Mutagenicity		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
<u>Teratogenicity</u>		
Conclusion/Summary	: Not available.	
Specific target organ toxi	city (single exposure)	
Not available.		
Specific target organ toxi	city (repeated exposure)	
Not available.		

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 01050	Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Depe	osition (MSVD) Coated Float Glass
SECTION 11: Toxico	ogical information
Aspiration hazard Not available.	
Information on likely routes of exposure	: Not available.
Potential acute health effect	<u>s</u>
Inhalation	: (Sanding and grinding dusts) May cause slight transient irritation.
Ingestion	: Not a likely route of exposure.
Skin contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Eye contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Symptoms related to the ph	vsical, chemical and toxicological characteristics
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.
Delayed and immediate effe	cts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects Long term exposure	: Not available.
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe Not available.	
Conclusion/Summary	: Not applicable.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Other information	: Not available.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

SECTION 12: Ecological information

12.1 Toxicity	
Conclusion/Summary	: Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

SECTION 12: Ecological information

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5 Results of PBT and vPv	B assessment
PBT	: Not available.
	P: Not available. B: Not available. T: Not available.
vPvB	: Not available.
	vP: Not available. vB: Not available.
12.6 Other adverse effects	: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Glass products with MSVD coatings and silver containing dusts generated during grinding removal of the MSVD coating may be recycled. The disposal requirements for waste dust should be based upon testing conducted in accordance with federal, provincial, state, and local requirements.

Hazardous waste : Yes.

Waste code		Waste designation
10 11 00	wastes from mar	nufacture of glass and glass products
Packaging	I	
Methods of disposal	packaging s	tion of waste should be avoided or minimised wherever possible. Waste should be recycled. Incineration or landfill should only be considered ing is not feasible.
Type of packaging		European waste catalogue (EWC)
Container	15 01 01	paper and cardboard packaging
Special precautions		al and its container must be disposed of in a safe way. Empty containers y retain some product residues. Avoid dispersal of spilt material and

runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA	
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	
14.3 Transport hazard class(es)	-	-	-	
14.4 Packing group	-	-	-	
		English (GB)	Saudi Arabia	9/1

Code : 01050		Date of issue/Da	Date of issue/Date of revision : 27 April 2016		
Magnetic Sputter/Va	cuum Deposition (MSVD)	Coated Float Glass			
SECTION 14:	Transport inform	ation			
14.5 Environmental hazards	No.	No.	No.		
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.		

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user : -

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Other national and international regulations.

15.2 Chemical safety assessment

: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
Full text of abbreviated H statements	1	Not applicable.
Full text of classifications [CLP/GHS]	:	Not applicable.
<u>History</u>		
Date of issue/ Date of revision	:	27 April 2016
Date of previous issue	1	No previous validation
Prepared by	1	EHS
Version	:	1

Conforms to Reg	gulation (EC) No.	1907/2006 (REACH), Annex II		
Code : (01050	Date of issue/Date of revision	: 27 April 2016	
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass				
SECTION 1	6: Other info	ormation		
Other informati	ion :	Solarphire is a trademark of PPG Industries Ohio, Inc.		

Sungate, *Solarban*, and the PPG logo are registered trademarks of PPG Industries Ohio, Inc.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.