SAFETY DATA SHEET

Date of issue/Date of revision

: 27 April 2016

Version

: 1



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass
Product code	: 01050
EC number	: Not available.
CAS number	: Not available.
Product type	: Article
Other means of identification	: This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire™ HVM.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use	S
Construction materials (building materials) - Other construction materials	aterials
Uses advised against	Reason
None identified.	
Product use : Glass.	

1.3 Details of the supplier of the safety data sheet

Sigma Paint Saudi Arabia Ltd. PO Box 7509 Dammam 31472 Saudi Arabia Tel: 00966 38 47 31 00 Fax: 00966 38 47 17 34

PPG Industries, Inc. One PPG Place Pittsburgh PA 15272 USA	
e-mail address of person responsible for this SDS	: ndpic@sfda.gov.sa
1.4 Emergency telephone number	: +966 1 2759222

+1 412 434 4515

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 01050	Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Depo	osition (MSVD) Coated Float Glass
SECTION 2: Hazards	identification
2.1 Classification of the subst	ance or mixture
Product definition	 This product is considered an article. The end use is dependent upon the manufactured shape and design, and this article will not pose an exposure hazard under normal conditions. Sanding and grinding this article can generate nuisance dust particles. Sanding and grinding dusts May be irritating to eyes and respiratory system.
Classification according to F Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]
The product is not classified as	s hazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full text	of the H statements declared above.
See Section 11 for more detai	led information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	<u>ents</u>
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
2.3 Other hazards	
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	: Not available.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: Not available.
Other hazards which do not result in classification	: None known.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II			
Code	: 01050	Date of issue/Date of revision	: 27 April 2016
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass			

SECTION 3: Composition/information on ingredients

3.1 Substances

 This product is considered an article. The end use is dependent upon the manufactured shape and design, and this article will not pose an exposure hazard under normal conditions.
 Sanding and grinding this article can generate nuisance dust particles.
 Sanding and grinding dusts May be irritating to eyes and respiratory system.

Product/ingredient name	Identifiers	% by weight	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
glass, oxide, chemicals	EC: 266-046-0 CAS: 65997-17-3	50 - 100	Not classified.	[A]

See Section 16 for the full text of the H statements declared above.

Composition consisting primarily of oxides of silicon with lesser quantities of other selected oxides common to soda-lime glasses, fused into an amorphous vitreous state.

Note: Glass sheets are typically stacked for shipment and may be separated with less than 1 weight percent of powdered interleaving material consisting of polymeric beads. Exposure to these polymeric beads is not expected to be a concern. MSVD glass may contain TPO (Temporary Protective Overcoat) made of polyvinyl alcohol. TPO is applied only to VT product versions. Exposure to polyvinyl alcohol is not expected to be a concern.

These coated glass products contain less than 0.1% of the following intentionally added metals (specific metals depend on product): silver, tin, zinc, nickel, chromium, aluminum, titanium and/or iron. Activities that generate dust from these coated glass products should be evaluated to determine if any regulatory exposure limits are exceeded. If exposure limits are exceeded for dust/metal, appropriate engineering controls (e.g., ventilation/HEPA filters) and/or personal protective equipment (e.g., respirators) should be provided.

Туре

[A] Constituent [B] Impurity

[C] Stabilising additive

SUB codes represent substances without registered CAS Numbers.

SECTION 4: First aid measures

4.1 Description of first aid m	neasures and the second s
Eye contact	: (Sanding and grinding dusts) In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Check for and remove any contact lenses.
Inhalation	: None known.
Skin contact	: None known.
Ingestion	: Not a likely route of exposure.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effect		
Eye contact	(Sanding and grinding dusts) No significant irritation expected other than poss mechanical irritation.	sible
Inhalation	(Sanding and grinding dusts) May cause slight transient irritation.	
Skin contact	(Sanding and grinding dusts) No significant irritation expected other than poss mechanical irritation.	sible
Ingestion	Not a likely route of exposure.	
Over-exposure signs/symp		
Eye contact	No specific data.	
Inhalation	No specific data.	

English (GB)

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II
Code : 01050	Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Dep	osition (MSVD) Coated Float Glass
SECTION 4: First aid	measures
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedia	te medical attention and special treatment needed
Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising fr	om the substance or mixture
Hazards from the substance or mixture	: No specific fire or explosion hazard.
Hazardous combustion products	: No specific data.
5.3 Advice for firefighters	
Special precautions for fire- fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: No special protection is required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	: No special protection is required.			
For emergency responders	: No special protection is required.			
6.2 Environmental precautions	: No specific hazard.			
6.3 Methods and material for	containment and cleaning up			
Small spill	: Vacuum or sweep up material and place in a designated, labelled waste container.			
Large spill	: Vacuum or sweep up material and place in a designated, labelled waste container.			

6.4 Reference to other
sections: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II			
Code	: 01050	Date of issue/Date of revision	: 27 April 2016
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass			

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Take care with items that are sharp or heavy. Any glass can have sharp edges, particularly at a cut or fractured edge. Normal strength glass, also known as annealed or float glass, is known to fracture into large sections with sharp edges. Chemically strengthened or chemically tempered glass will tend to fracture much the same as normal strength glass. Thermally tempered glass (commonly found in automotive side and rear windows) will fracture into a large number of very small pieces capable of cutting skin, but typically not as deep as would a large sharp fragment of normal strength glass. These safety concerns should be addressed with proper personal protective equipment to protect oneself against any sharp edges, including those formed by accidental glass fracture during handling. Sanding (a.k.a. seaming or edging) any sharp glass edges to produce rounded edges also reduces the hazards with being cut by sharp edges
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in a dry place away from excessive moisture and exhaust fumes from fork trucks or other such equipment. Support glass in cases on both sides when stored vertically. Glass packs and open cases should be stored at a 5° lean angle to prevent glass from falling forward.
7.3 Specific end use(s) Recommendations	: Building and construction work
Industrial sector specific solutions	: Industrial and Professional use

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Sanding and grinding dusts	ACGIH TLV (United States). TWA: 5 mg/m ³ , (Inhalable) TWA: 3 mg/m ³ Form: Respirable TWA: 10 mg/m ³ Form: Total dust ACGIH TLV (United States, 3/2015). TWA: 5 mg/m ³ 8 hours. Form: Inhalable fraction
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482

English (GB) Qatar	
--------------------	--

Code : 01050	Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Dep	oosition (MSVD) Coated Float Glass
SECTION 8: Exposu	re controls/personal protection
	(Workplace atmospheres - General requirements for the performance of procedure for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborner contaminants. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. When grinding for removal of the MSVD coating, inhalation of silver containing coating dust should be prevented by using a localized exhaust ventilation system to remove the silver particulate being removed. The ventilation system should be equipped with a HEPA (High Efficiency Particulate Air) filter with efficiency greater than 99.9%.
Individual protection measu	<u>res</u>
Hygiene measures	: Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety glasses with side shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: Rubber dipped anti-lacerative gloves are recommended.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: (Sanding and grinding dusts) If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Not applicable.
SECTION 9: Physica	l and chemical properties
9.1 Information on basic phy	

		English (GB)	Qatar
Flammability (solid, gas)	:	Not applicable	
Material supports combustion.	1	No.	
Evaporation rate	1	Not applicable.	
Flash point	:	Closed cup: Not applicable. [Product do	es not sustain combustion.]
Initial boiling point and boiling range	:	Not available.	
Melting point/freezing point	-	Not available.	
рН	1	Not applicable.	
Odour threshold	1	Not applicable.	
Odour	1	Odourless.	
Colour	1	Clear./Colourless. to tinted	
Physical state	1	Solid.	
Appearance			

English (GB)

Conforms to R	Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II		
Code :	01050	Date of issue/Date of revision	: 27 April 2016
Magnetic Sputt	Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass		
			·

SECTION 9: Physical and chemical properties

Upper/lower flammability or explosive limits	: Not applicable.
Relative density	: 2.45
Solubility(ies)	: Not available.
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not applicable.
Viscosity	: Kinematic (40°C): Not applicable.
Explosive properties	: Not available.
Oxidising properties	: Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Not applicable.
10.4 Conditions to avoid	: No specific data. Refer to protective measures listed in sections 7 and 8.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Acute toxicity		
Conclusion/Summary	: Not applicable.	
Irritation/Corrosion		
Conclusion/Summary	: Not available.	
Sensitisation		
Conclusion/Summary	: Not available.	
Mutagenicity		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	
Specific target organ toxic	<u>tity (single exposure)</u>	
Γ		

English (GB)

Conforms to Regulation (EC) I	No	. 1907/2006 (REACH), Annex II
Code : 01050		Date of issue/Date of revision : 27 April 2016
Magnetic Sputter/Vacuum Depo	osit	ion (MSVD) Coated Float Glass
SECTION 11: Toxicol	0	gical information
Not available.		
Specific target organ toxicity	<u>v (</u>	repeated exposure)
Not available.		
Aspiration hazard		
Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effect	s	
Inhalation	_	(Sanding and grinding dusts) May cause slight transient irritation.
Ingestion	:	Not a likely route of exposure.
Skin contact	:	(Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Eye contact	:	(Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Symptoms related to the phy	ysi	cal, chemical and toxicological characteristics
Inhalation	1	No specific data.
Ingestion	1	No specific data.
Skin contact	1	No specific data.
Eye contact	1	No specific data.
Delayed and immediate effect	cts	as well as chronic effects from short and long-term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe	cts	
Not available.		
Conclusion/Summary	1	Not applicable.
General	4	No known significant effects or critical hazards.
Carcinogenicity	4	No known significant effects or critical hazards.
Mutagenicity	4	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.
Fertility effects	4	No known significant effects or critical hazards.
Other information		Not available.
The product is not classified as	s h	azardous according to Regulation (EC) 1272/2008 as amended.

Conforms to Regulation (EC)	No. 1907/2006 (REACH), A	nnex II	
Code : 01050		Date of issue/Date of revision	: 27 April 2016
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass			
SECTION 12: Ecolog	gical information		
12.1 Toxicity			
Conclusion/Summary	: Not available.		
12.2 Persistence and degrad	lability		
Conclusion/Summary	: Not available.		
12.3 Bioaccumulative potent	tial		
Not available.			
12.4 Mobility in soil			
Soil/water partition coefficient (Koc)	: Not available.		
Mobility	: Not available.		
12.5 Results of PBT and vPv	B assessment		
PBT	: Not available.		
	P: Not available. B: Not	available. T: Not available.	
vPvB	: Not available.		
	vP: Not available. vB: No	ot available.	
12.6 Other adverse effects	: No known significant eff	ects or critical hazards.	
SECTION 13: Dispos	sal considerations		
The information in this section consulted for any available use		guidance. The list of Identified Uses i d in the Exposure Scenario(s).	n Section 1 should be

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Glass products with MSVD coatings and silver containing dusts generated during grinding removal of the MSVD coating may be recycled. The disposal requirements for waste dust should be based upon testing conducted in accordance with federal, provincial, state, and local requirements.
Hazardous waste	: Yes.

Waste code		Waste designation
10 11 00	wastes from manufacture of glass and glass products	
ackaging		
Methods of disposal	packaging sh	on of waste should be avoided or minimised wherever possible. Waste nould be recycled. Incineration or landfill should only be considered ng is not feasible.
Type of packaging		European waste catalogue (EWC)
Container	15 01 01	paper and cardboard packaging
Special precautions	or liners may	and its container must be disposed of in a safe way. Empty containers retain some product residues. Avoid dispersal of spilt material and potact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADR/RID	: None identified.
IMDG	: None identified.
IATA	: None identified.

Special precautions for user : -

SECTION 15: Regula	tory information
15.1 Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907	7/2006 (REACH)
Annex XIV - List of substan	ces subject to authorisation
Annex XIV	
None of the components ar	e listed.
Substances of very high o	<u>oncern</u>
None of the components ar	e listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other national and internation	onal regulations.
15.2 Chemical safety assessment	: No Chemical Safety Assessment has been carried out.
SECTION 16: Other in	nformation
Indicates information that has a second s	as changed from previously issued version

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	1	ATE = Acute Toxicity Estimate
-		CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
		1272/2008]
		DNEL = Derived No Effect Level
		EUH statement = CLP-specific Hazard statement
		PNEC = Predicted No Effect Concentration
		RRN = REACH Registration Number

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II				
Code : 01050	Date of issue/Date of revision : 27 April 2016			
Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass				
SECTION 16: Other information				
Full text of abbreviated H statements	: Not applicable.			
Full text of classifications [CLP/GHS]	: Not applicable.			
<u>History</u>				
Date of issue/ Date of revision	: 27 April 2016			
Date of previous issue	: No previous validation			
Prepared by	: EHS			
Version	: 1			
Other information	: Solarphire is a trademark of PPG Industries Ohio, Inc.			
	Sungate, Solarban, and the PPG logo are registered trademarks of PPG Industries Ohio, Inc.			

<u>Disclaimer</u>

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.