# **SAFETY DATA SHEET**

Date of issue/Date of revision 27 April 2016

Version 1



# Section 1. Identification

Product code	: 01050
Product name	: Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass
Other means of identification	This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire™ HVM.
Product type	: Article

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses			
Construction materials (bui	lding materials) - Other co	nstruction materials	
Product use	: Glass.		
Uses advised against		Reason	
None identified.			
Supplier's information	: PPG Asian Paints #L-10, Phase II, SI Mambakkam, Srip Kancheepuram Dis Tamilnadu- 60210 INDIA	PCOT Industrial Park, erumbudur, st.	
Emergency telephone	PPG Industries, In One PPG Place Pittsburgh, PA 152 : +914437181900		
number:			
	+1 412 434 4515		

# Section 2. Hazards identification

Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.

### Section 2. Hazards identification

Other hazards which do not : None known. result in classification

# Section 3. Composition/information on ingredients

Substance/mixture	: Article
Other means of identification	This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire™ HVM.

### CAS number/other identifiers

CAS number : 6599
-------------------

Ingredient name	%	CAS number
glass, oxide, chemicals	60 - 100	65997-17-3

Composition consisting primarily of oxides of silicon with lesser quantities of other selected oxides common to sodalime glasses, fused into an amorphous vitreous state.

Note: Glass sheets are typically stacked for shipment and may be separated with less than 1 weight percent of powdered interleaving material consisting of polymeric beads. Exposure to these polymeric beads is not expected to be a concern. MSVD glass may contain TPO (Temporary Protective Overcoat) made of polyvinyl alcohol. TPO is applied only to VT product versions. Exposure to polyvinyl alcohol is not expected to be a concern.

These coated glass products contain less than 0.1% of the following intentionally added metals (specific metals depend on product): silver, tin, zinc, nickel, chromium, aluminum, titanium and/or iron. Activities that generate dust from these coated glass products should be evaluated to determine if any regulatory exposure limits are exceeded. If exposure limits are exceeded for dust/metal, appropriate engineering controls (e.g., ventilation/HEPA filters) and/or personal protective equipment (e.g., respirators) should be provided.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

### Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: (Sanding and grinding dusts) In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Check for and remove any contact lenses.
Inhalation	: None known.
Skin contact	: None known.
Ingestion	: Not a likely route of exposure.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.
Inhalation	: (Sanding and grinding dusts) May cause slight transient irritation.
Skin contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.

Date of issue 27 April 2016

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

## Section 4. First aid measures

Ingestion	: Not a likely route of exposure.
Over-exposure signs/s	<u>ymptoms</u>
Eye contact	: No specific data.
Inhalation	
	No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	medical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically.
Specific treatments	: No specific treatment.

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

# Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	No specific data.
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: No special protection is required.

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: No special protection is required.	
For emergency responders	: No special protection is required.	
Environmental precautions	• No specific hazard.	
Methods and material for containment and cleaning up		
Small spill	: Vacuum or sweep up material and place in a designated, labelled waste container.	
Large spill	: Vacuum or sweep up material and place in a designated, labelled waste container.	

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Take care with items that are sharp or heavy. Any glass can have sharp edges, particularly at a cut or fractured edge. Normal strength glass, also known as annealed or float glass, is known to fracture into large sections with sharp edges. Chemically strengthened or chemically tempered glass will tend to fracture much the same as normal strength glass. Thermally tempered glass (commonly found in automotive side and rear windows) will fracture into a large number of very small pieces capable of cutting skin, but typically not as deep as would a large sharp fragment of normal strength glass. These safety concerns should be addressed with proper personal protective equipment to protect oneself against any sharp edges, including those formed by accidental glass fracture during handling. Sanding (a.k.a. seaming or edging) any sharp glass edges to produce rounded edges also reduces the hazards with being cut by sharp edges
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, : including any incompatibilities	Store in a dry place away from excessive moisture and exhaust fumes from fork trucks or other such equipment. Support glass in cases on both sides when stored vertically. Glass packs and open cases should be stored at a 5° lean angle to prevent glass from falling forward.

# Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits	
None.	
Recommended monitoring procedures	Not applicable.
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. When grinding for removal of the MSVD coating, inhalation of silver containing coating dust should be prevented by using a localized exhaust ventilation system to remove the silver particulate being removed. The ventilation system should be equipped with a HEPA (High Efficiency Particulate Air) filter with efficiency greater than 99.9%.
Environmental exposure controls	Not applicable.
Individual protection measure	2
Hygiene measures	Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety glasses with side shields.
Skin protection	

Date of issue 27 April 2016

Version 1

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

### Section 8. Exposure controls/personal protection

Hand protection Gloves	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</li> <li>Rubber dipped anti-lacerative gloves are recommended.</li> </ul>
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid.
Colour	: Clear./Colourless. to tinted
Odour	: Odourless.
Odour threshold	: Not applicable.
рН	: Not applicable.
Melting point	: 704°C (1300°F) (softening point)
Boiling point	: Not applicable.
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not applicable.
Flammability (solid, gas)	: Not applicable
Lower and upper explosive (flammable) limits	: Not applicable.
Vapour pressure	: Not applicable.
Vapour density	: Not applicable.
Relative density	: 2.45
Solubility	: Not available.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not applicable
<b>Decomposition temperature</b>	: Not available.
Viscosity	: Not Applicable

# Section 10. Stability and reactivity

Reactivity	No spec	ific test data related to reactivity available for this product or its ingredients.
Chemical stability	The pro	duct is stable.
Possibility of hazardous reactions	Not app	licable.

# Section 10. Stability and reactivity

Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

# Section 11. Toxicological information

### Information on toxicological effects Acute toxicity

Acute toxicity	
<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.
Irritation/Corrosion	
Conclusion/Summary	
Skin	: No known significant effects or critical hazards.
Eyes	: No known significant effects or critical hazards.
Respiratory	: No known significant effects or critical hazards.
Sensitisation	-
<b>Conclusion/Summary</b>	
Skin	: No known significant effects or critical hazards.
Respiratory	: No known significant effects or critical hazards.
<u>Mutagenicity</u>	
<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: No known significant effects or critical hazards.
Reproductive toxicity	
Conclusion/Summary	: No known significant effects or critical hazards.
<b>Teratogenicity</b>	
Conclusion/Summary	: No known significant effects or critical hazards.
Specific target organ toxicit	-
Not available.	
Specific target organ toxicit	w (repeated exposure)
Not available.	y (repeated exposure)
Aspiration hazard	
Not available.	
Information on likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	<ul> <li>Sanding and grinding dusts) No significant irritation expected</li> </ul>
Ljo contact	

# Section 11. Toxicological information

Inhalation	Sanding and grinding dusts) May cause slight transient irritation.	
Skin contact	Sanding and grinding dusts) No significant irritation expected other than po- nechanical irritation.	ssible
Ingestion	Not a likely route of exposure.	
Symptoms related to the phy	I, chemical and toxicological characteristics	
Eye contact	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	
Delayed and immediate effect	s well as chronic effects from short and long-term exposure	
Short term exposure		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
<u>Long term exposure</u>		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
Potential chronic health eff		
Not available.		
General	No known significant effects or critical hazards.	
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity	No known significant effects or critical hazards.	
<b>Developmental effects</b>	No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	

#### Numerical measures of toxicity

Acute toxicity estimates

Not available.

#### Other information

None known.

# Section 12. Ecological information

ŝ

Toxicity Not available.

### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

India GHS

## Section 12. Ecological information

Not available.

Section 13. Disposal considerations		
Other adverse effects	: No known significant effects or critical hazards.	
Mobility in soil Soil/water partition coefficient (Koc)	: Not available.	

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Glass products with MSVD coatings and silver containing dusts generated during grinding removal of the MSVD coating may be recycled. The disposal requirements for waste dust should be based upon testing conducted in accordance with federal, provincial, state, and local requirements.

### Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

#### **Additional information**

UN	: None identified.
IMDG	: None identified.
ΙΑΤΑ	: None identified.

Special precautions for user :-

# Section 15. Regulatory information

Safety, health and environmental regulations specific for the product : No known specific national and/or regional regulations applicable to this product (including its ingredients).

## Section 16. Other information

<u>History</u> Date of issue/Date of	: 27 April 2016
revision	
Date of previous issue	: No previous validation
Version	: 1
Prepared by	: EHS
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Other information	: Solarphire is a trademark of PPG Industries Ohio, Inc.
	<i>Sungate</i> , <i>Solarban</i> , and the PPG logo are registered trademarks of PPG Industries Ohio, Inc.

#### ✓ Indicates information that has changed from previously issued version.

#### Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.