SAFETY DATA SHEET

Date of issue/Date of revision 27 April 2016 Version 1

Section 1. Identification

Product code	: 01050
Product name	: Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass
产品名称	: Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass
Other means of identification	: This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire™ HVM.
Product type	: Article

Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Construction materials (building materials) - Other construction materials		
Uses advised against	Reason	
None identified.		

Supplier's details	: PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272
Emergency telephone number (with hours of operation)	: 86 532 83889090 +1 412 434 4515

Section 2. Hazards identification

Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Other hazards which do not result in classification	: None known.

China Page: 1/9

Version 1

Section 2. Hazards identification

Section 3. Composition/information on ingredients

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Substance/mixture	: Article
Other means of identification	: This (M)SDS covers all PPG MSVD Low-E coated glass products including, but not limited to: Sungate® 400, Sungate® 400VT, Sungate® 460, Sungate® 460VT, Solarban® z50, Solarban® z50VT, Solarban® 60, Solarban® 60VTII, Solarban® 67, Solarban® 67VT, Solarban® 70XL, Solarban® 70XLVT, Solarban® 72VT, Solarban® R100VT, Solarban® z75, Solarban® z75VT, Solarban® 90, Solarban® 90VT, Solarphire ™ HVM.

CAS number/other ide	ntifiers		
CAS number	: Not available.		
EC number	: Not available.		
Ingredient name		%	CAS number
glass, oxide, chemicals		60 - 100	65997-17-3

Composition consisting primarily of oxides of silicon with lesser quantities of other selected oxides common to soda-lime glasses, fused into an amorphous vitreous state.

Note: Glass sheets are typically stacked for shipment and may be separated with less than 1 weight percent of powdered interleaving material consisting of polymeric beads. Exposure to these polymeric beads is not expected to be a concern. MSVD glass may contain TPO (Temporary Protective Overcoat) made of polyvinyl alcohol. TPO is applied only to VT product versions. Exposure to polyvinyl alcohol is not expected to be a concern.

These coated glass products contain less than 0.1% of the following intentionally added metals (specific metals depend on product): silver, tin, zinc, nickel, chromium, aluminum, titanium and/or iron. Activities that generate dust from these coated glass products should be evaluated to determine if any regulatory exposure limits are exceeded. If exposure limits are exceeded for dust/metal, appropriate engineering controls (e.g., ventilation/HEPA filters) and/or personal protective equipment (e.g., respirators) should be provided.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: (Sanding and grinding dusts) In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Check for and remove any contact lenses.
Inhalation	: None known.
Skin contact	: None known.

Ingestion : Not a likely route of exposure.

Most important symptoms/effects, acute and delayed Potential acute health effects

China Page: 2/9

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 4. First aid measures

Eye contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.		
Inhalation	: (Sanding and grinding dusts) May cause slight transient irritation.		
Skin contact	: (Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.		
Ingestion	: Not a likely route of exposure.		
<u>Over-exposure signs/sym</u>	<u>ptoms</u>		
Eye contact	: No specific data.		
Inhalation	No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: Treat symptomatically.		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: No special protection is required.

Section 6. Accidental release measures

Personal precautions, protect	tiv	e equipment and emergency procedures
For non-emergency personnel	;	No special protection is required.
For emergency responders	÷	No special protection is required.

Environmental precautions : No specific hazard.

Methods and material for containment and cleaning up

Date of issue 27 April 2016

Version 1

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 6. Accidental release measures

Small spill	1	Vacuum or sweep up material and place in a designated, labelled waste container.
Large spill	÷	Vacuum or sweep up material and place in a designated, labelled waste container.
Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Section 7. Handling and storage

Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Take care with items that are sharp or heavy. Any glass can have sharp edges, particularly at a cut or fractured edge. Normal strength glass, also known as annealed or float glass, is known to fracture into large sections with sharp edges. Chemically strengthened or chemically tempered glass will tend to fracture much the same as normal strength glass. Thermally tempered glass (commonly found in automotive side and rear windows) will fracture into a large number of very small pieces capable of cutting skin, but typically not as deep as would a large sharp fragment of normal strength glass. These safety concerns should be addressed with proper personal protective equipment to protect oneself against any sharp edges, including those formed by accidental glass fracture during handling. Sanding (a.k.a. seaming or edging) any sharp glass edges to produce rounded edges also reduces the hazards with being cut by sharp edges
Conditions for safe storage, including any incompatibilities	: Store in a dry place away from excessive moisture and exhaust fumes from fork trucks or other such equipment. Support glass in cases on both sides when stored vertically. Glass packs and open cases should be stored at a 5° lean angle to prevent

Section 8. Exposure controls/personal protection

glass from falling forward.

Occupational exposure limits	<u>5</u>
None.	
Recommended monitoring procedures	: Not applicable.
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. When grinding for removal of the MSVD coating, inhalation of silver containing coating dust should be prevented by using a localized exhaust ventilation system to remove the silver particulate being removed. The ventilation system should be equipped with a HEPA (High Efficiency Particulate Air) filter with efficiency greater than 99.9%.
Environmental exposure controls	: Not applicable.

Version 1

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 8. Exposure controls/personal protection

Individual protection measures

Hygiene measures Eye protection	 Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses with side shields.
Skin protection	
Hand protection	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Gloves	: Rubber dipped anti-lacerative gloves are recommended.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: (Sanding and grinding dusts) If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid.
Colour	: Clear./Colourless. to tinted
Odour	: Odourless.
Melting point	: 704°C (1300°F) (softening point)
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Flammability (solid, gas)	: Not applicable
Relative density	: 2.45
Auto-ignition temperature	: Not applicable
Viscosity	: Not Applicable

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Not applicable.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.

Date of issue 27 April 2016

Version 1

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 10. Stability and reactivity

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

ŝ

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Conclusion/Summary

Sensitisation

Conclusion/Summary

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact	1	(Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.		
Inhalation	1	(Sanding and grinding dusts) May cause slight transient irritation.		
Skin contact	1	(Sanding and grinding dusts) No significant irritation expected other than possible mechanical irritation.		
Ingestion	1	Not a likely route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	1	No specific data.		
Inhalation	1	No specific data.		
Skin contact	:	No specific data.		
Ingestion	4	No specific data.		

China

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 11. Toxicological information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>			
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Long term exposure			
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Potential chronic health effects			
General	: No known significant effects or critical hazards.		
Carcinogenicity	: No known significant effects or critical hazards.		
Mutagenicity	: No known significant effects or critical hazards.		
Teratogenicity	: No known significant effects or critical hazards.		
Developmental effects	: No known significant effects or critical hazards.		
Fertility effects	: No known significant effects or critical hazards.		

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence/degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

China Page: 7/9

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Glass products with MSVD coatings and silver containing dusts generated during grinding removal of the MSVD coating may be recycled. The disposal requirements for waste dust should be based upon testing conducted in accordance with federal, provincial, state, and local requirements.

14. Transport information

	China	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.	Not applicable.

Additional information

CN	: None identified.
UN	: None identified.
IMDG	: None identified.
IATA	: None identified.

Special precautions for user : -

Section 15. Regulatory information

Regulatory information	 Regulations on the Control over Safety of Dangerous Chemicals Production Safety Law of the People's Republic of China Code of Occupational Disease Prevention of the People's Republic of China Environmental Protection Law of the People's Republic of China Fire Control Law of the People's Republic of China Occupational exposure limits for hazardous agents in the workplace chemical hazardous agents (GBZ2.1-2007) General rule for classification and hazard communication of chemicals (GB13690-2009) Safety data sheet for chemical products - Content and order of sections (GB/ T16483-2008) General rule for preparation of precautionary label for chemicals (GB15258-2009) Safety rules for classification, precautionary label for chemicals (GB15258-2009) Safety rules for classification, precautionary labeling and precautionary statements of chemicals (GB20576-2006, GB20599-2006, GB20601-2006, GB20602-2006) Other national and international regulations.
China inventory (IECSC)	: All components are listed or exempted.

Date of issue 27 April 2016

Version 1

Product name Magnetic Sputter/Vacuum Deposition (MSVD) Coated Float Glass

Section 15. Regulatory information

Australia inventory (AICS)	All components are listed or exempted.	
Canada inventory (DSL)	All components are listed or exempted.	
Europe inventory (REACH)	Please contact your supplier for information on the inventory status of this mat	terial.
Japan inventory (ENCS)	apan inventory (ENCS): All components are listed or exempted. apan inventory (ISHL): All components are listed or exempted.	
Korea inventory (KECI)	All components are listed or exempted.	
New Zealand (NZIoC)	All components are listed or exempted.	
Philippines inventory (PICCS)	All components are listed or exempted.	
United States inventory (TSCA 8b)	All components are listed or exempted.	
Ocation 40 Others		

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 27 April 2016
Date of previous issue	: No previous validation
Version	: 1 EHS
Key to abbreviations	 ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail UN = United Nations
Other information	: Solarphire is a trademark of PPG Industries Ohio, Inc.
	<i>Sungate</i> , <i>Solarban</i> , and the PPG logo are registered trademarks of PPG Industries Ohio, Inc.

V Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.